

Attorney's Docket No.: 10559/927001/P18716  
Intel Corporation

Amendment to the Claims:

This listing of claims replaces all prior versions, and listings, of claims in the application:

1-9. (Canceled)

10. (Previously presented) A lithography system, comprising:

a polarization modulator configured to change light which is applied thereto from a first polarization profile to a second polarization profile different than the first polarization profile; and

a stress modulator in communication with the polarization modulator, the stress modulator to apply stress to the polarization modulator, wherein the stress modulator is configured to apply stress to an outer surface of the polarization modulator to obtain a polarization profile at an imaging plane wherein the polarization profile exhibits substantially azimuthal symmetry.

11. (Canceled)

12. (Previously presented) A lithography system, comprising:

Attorney's Docket No.: 10559/927001/P18716  
Intel Corporation

a polarization modulator configured to change light which is applied thereto from a first polarization profile to a second polarization profile different than the first polarization profile; and

a stress modulator in communication with the polarization modulator, the stress modulator to apply stress to the polarization modulator, wherein the lithography system comprises an immersion lithography system.

13. (Canceled)

14. (Previously presented) A lithography system, comprising:

a polarization modulator configured to change light which is applied thereto from a first polarization profile to a second polarization profile different than the first polarization profile; and

a stress modulator in communication with the polarization modulator, the stress modulator to apply stress to the polarization modulator, wherein the stress modulator is configured to apply stress using expansion.

Attorney's Docket No.: 10559/927001/P18716  
Intel Corporation

15. (Previously presented) A lithography system,  
comprising:

a polarization modulator configured to change light which  
is applied thereto from a first polarization profile to a second  
polarization profile different than the first polarization  
profile; and

a stress modulator in communication with the polarization  
modulator, the stress modulator to apply stress to the  
polarization modulator, wherein the stress modulator is  
configured to apply stress by heating at least one of the stress  
modulator and the polarization modulator.

16. (Previously presented) A lithography system,  
comprising:

a polarization modulator configured to change light which  
is applied thereto from a first polarization profile to a second  
polarization profile different than the first polarization  
profile; and

a stress modulator in communication with the polarization  
modulator, the stress modulator to apply stress to the  
polarization modulator, wherein the stress modulator is  
configured to apply stress by cooling at least one of the stress  
modulator and the polarization modulator.

Attorney's Docket No.: 10559/927001/P18716  
Intel Corporation

17. (Previously presented) A lithography system,  
comprising:

a polarization modulator configured to change light which  
is applied thereto from a first polarization profile to a second  
polarization profile different than the first polarization  
profile; and

a stress modulator in communication with the polarization  
modulator, the stress modulator to apply stress to the  
polarization modulator, further comprising:

another polarization modulator positioned to receive light  
having a received polarization profile and to transmit light  
having a different transmitted polarization profile; and

another stress modulator in communication with the another  
polarization modulator, the another stress modulator to apply  
stress to the another polarization modulator.

18-23. (Canceled)

24. (Currently Amended) A method of modifying the  
polarization of light, comprising:

applying stress to a polarization modulator;

Attorney's Docket No.: 10559/927001/P18716  
Intel Corporation

receiving light of a first polarization state in the  
polarization modulator;

modifying the polarization of light within the polarization  
modulator; and detecting a parameter related to one or more  
characteristics of the light; and

transmitting light of a second polarization state different  
than the first polarization state from the polarization  
modulator, wherein the parameter is related to the second  
polarization state.

25. (Currently Amended) A method of modifying the  
polarization of light, comprising:

applying stress to a polarization modulator;

receiving light of a first polarization state in the  
polarization modulator;

modifying the polarization of light within the polarization  
modulator; [[and]]

transmitting light of a second polarization state different  
than the first polarization state from the polarization  
modulator wherein the parameter is related to the second  
polarization state;

detecting a parameter related to one or more  
characteristics of the light; and

Attorney's Docket No.: 10559/927001/P18716  
Intel Corporation

forming a pattern on a substrate using the transmitted light, and wherein the parameter is a parameter based on the pattern.

26-28. (Canceled)

29. (Currently Amended) ~~The system of claim 26,~~ A polarization control apparatus, comprising:  
a polarization modulator configured to change light which is applied thereto from a first polarization profile to a second polarization profile different than the first polarization profile;  
a stress modulator in communication with the polarization modulator, the stress modulator to apply stress to the polarization modulator;  
a controller configured to receive a signal based on a parameter related to one or more characteristics of the transmitted light, the controller in communication with the stress modulator and configured to control the stress; and  
~~further including~~ a light sensor positioned to receive at least a portion of the transmitted light, the light sensor in communication with the controller wherein the signal based on the parameter is a signal from the light sensor;

Attorney's Docket No.: 10559/927001/P18716  
Intel Corporation

wherein the parameter is based on the second different polarization profile.

30. (Currently Amended) ~~The system of claim 27, A~~  
polarization control apparatus, comprising:

a polarization modulator configured to change light which is applied thereto from a first polarization profile to a second polarization profile different than the first polarization profile;

a stress modulator in communication with the polarization modulator, the stress modulator to apply stress to the polarization modulator;

a controller configured to receive a signal based on a parameter related to one or more characteristics of the transmitted light, the controller in communication with the stress modulator and configured to control the stress;

a light sensor positioned to receive at least a portion of the transmitted light, the light sensor in communication with the controller; and

wherein the signal based on the parameter is a signal from the light sensor further comprising a substrate including a pattern formed using the transmitted light, and wherein the parameter is based on the pattern.